

什么是恙虫病？有什么危害？

2023-10-23原文





恙虫病又进入了高峰期



听说被这个小虫虫

咬一口

严重的话可能会躺板板

这么恐怖


快来听听看中心医院的专家怎么说

01

什么是恙虫病？

恙虫病又名丛林斑疹伤寒，其病原体为恙虫病东方体，是主要通过恙螨幼虫叮咬感染而引起的一种急性热性传染病。

恙虫病在我国主要流行于热带、亚热带地区，云南、福建、广东、四川等省市是我国恙虫病的高发区，但近年来我国恙虫病的流行区域不断由南向北扩展并且南北两地季节性差异明显。由于攀枝花市全年气候比较温暖，属南亚热带亚湿润气候。分析发现发病高峰季节在每年7-10月。



02

得了恙虫病有些什么症状？

恙虫病潜伏期一般为4天到20天，恙虫病早期无临床特异性表现，多为发热、皮疹、溃疡等，部分患者伴有焦痂，与其他疾病区分困难，因而误诊率、漏诊率高。

恙虫病



治疗不及时会导致患者病情加重,重症恙虫病可累及各大系统,并发症包括肝炎、肺炎、急性呼吸窘迫综合征、心肌炎、脑炎、急性肾损伤、消化道出血、弥散性血管内凝血及脑膜脑炎等,重症病例可出现多系统功能障碍甚至死亡。

恙虫病如何预防?

1、控制传染源

主要是灭鼠。啮齿类动物是最重要的中间宿主。

2、切断传播途径

关键是避免恙螨幼虫叮咬。恙螨是恙虫病东方体感染人类的唯一媒介。应改善环境卫生，除杂草，消除恙螨滋生地，或在丛林草地喷洒杀虫剂消灭恙螨。

3、保护易感人群

做好个人防护，野外活动前穿戴好防护衣物，尽量不要裸露皮肤。在户外，应避免接近可能有恙虫存在的灌木和丛林。在流行恙虫的地区活动后，我们应该立即脱去衣物、充分洗澡，减少恙虫的附着。

中心医院专家提醒：

在户外活动后如出现不明原因的发热，请仔细检查身上有无虫子叮咬后的焦痂，并尽快到医院就诊。

参考文献：【1】陈安喜，田诚，杨晓，曹淦，吕旭峰.我国恙虫病媒介恙螨分布的研究进展 中华卫生杀虫药械 2022年12月第28卷第6期

【2】陈祖华，李琴，胥磊，闫殊利，白永华，刘芝，张耀.2006-2020年攀枝花市恙虫病流行特征分析 中华卫生杀虫药械 2021年12月第27卷第6期

【3】梁桐，刘莹，李幼霞，蔡水江，黄煌，刘勇进，杜淑华，赖文娇，邓西龙.恙虫病临床特征及重症危险因素分析[J/OL].中国热带医学

文章作者：呼吸与危重症医学科 罗萍



The banner features a teal background with a hand holding a smartphone displaying a red cross. Surrounding the phone are icons for a syringe, a pill, a first aid kit, a bottle, and a bandage. The text '健康咨询 一手掌握' is prominently displayed. Two QR codes are provided for '视频号' (Video Account) and '公众号' (Public Account). The hospital's name '攀枝花市中心医院 panzhihua central Hospital' and its motto '诚信 仁爱 敬业 创新' are at the bottom.

健康咨询
一手掌握

视频号 公众号

攀枝花市中心医院
panzhihua central Hospital

诚信 仁爱 敬业 创新

精选留言

暂无...